

Product Information ISO Class 5 – 8 Cleanroom Class 10 - 100 EU Grade A/B

Polx[®] 1200A Flat Mop Wiper

Cleanroom 100% Polyester Knit Mop Wiper

Polx® 1200A flat mop wiper is a knife cut cleanroom wiper recommended for ISO Class 4 and above environments composed of environments and applications requiring critical control of 100% continuous filament polyester knit fabric. This combination contaminants combined with superior of properties provides. Polx®1200A flat mop wiper with the highest level of cleanliness, abrasion resistance and chemical

chemical compatibility required for ISO Class 4 and above performance.



Other ISO Class 4 and above wipers

- Super Polx® SW
- Super Polx® 1200 •

Key Attributes

- 100% continuous filament double knitted polyester
- Knife cut edge
- Sterilisable by autoclave, gamma or beta

Benefits

- Low particles, fibers, ion and non-volatile residue ٠
- High abrasion resistance •
- Chemically compatible with IPA, acetone and other solvents •
- High sorbency •
- Soft hand and edge for sensitive surfaces •

Applications

- Designed for use in ISO Class 4 and higher cleanroom environments
- Designed for high level of contamination control in critical processing applications •
- Integrated circuit fabrication areas .
- CD and DVD manufacturing operations
- Breakdown cleans in fab and suite construction
- Equipment wrap and wipe down
- Final cleaning of surfaces- walls, floors, ceilings or products prior to manufacturing or packaging
- Stencil and other print roll cleaning applications •
- Cleaning of medical device products •
- Applying and removing cleaning and disinfecting solutions

www.berkshire.eu.com

Contact: Tel 44.(0)870.757.2877

America	Tel 1 413 528 2602	Fax 1 413 528 2614	info@berkshire.com
Europe	Tel 44 (0) 870 757 2877	Fax 44 (0) 870 757 2878	enquiries@berkshire.uk.com
SE Asia	Tel 65 6252 4313	Fax 65 6252 4312	enquiries@berkshire.com.sg
Japan	Tel 81 3 5827 2380	Fax 81 3 5827 2382	master@berkshire.co.jp



Technical Data:

Attribute		Units	Value	Test Method
Basis Weight		g/m ²	132	TAPPI T-410
Caliper		μm	556	TAPPI T-411
Fibers	≥100µm	fibers/cm ²	11	IEST-RP.CC004.3, Sec 6.1.3 / Sec 6.2.2
Particles	≥0.5µm	x10 ³ /cm ²	2.8	IEST-RP.CC004.3, Sec 6.1.3 / Sec 6.2.1
Sorbency	Capacity	mL/m ²	376	IEST-RP.CC004.3, Sec 8.1 modified / Sec 8.2 modified
	Efficiency	mL/g	2.8	
	Rate	seconds	1	
Non-Volatile Residue	DI Water	g/m²	0.022	IEST-RP.CC004.3, Sec 7.1.2
	IPA	g/m ²	0.022	
Ions	Na ⁺	ppm	1.1	IEST-RP.CC004.3, Sec 7.2.2
	K+	ppm	1.3	
	Ca++	ppm	1.0	
	Mg ⁺⁺	ppm	0.044	

Notes:

- Technical data represented in this table are typical values at the time of publication. These should not be used as product specifications.
- Due to differences in test methods applied and equipment utilized by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
 Third party testing can be performed upon request

Order Information:

Product	Number	Size	Shts/pk	Pks/cs	Style
Polx [®] 1200A	PL1200A.2309.5	23x58cm	150	5	Stacked



www.berkshire.eu.com Contact: Tel 44.(0)870.757.2877/ enquiries@berkshire.uk.com

BIL_5140_03-2015